



Part# RM-F117;

Features

- MIL-STD-810F/G Compliant
- VGA + HDMI + DP Input
- 1U 17.3" Rackmount Monitor, 1920 X 1080 Resolution
- Wide Operating Temperature (-0C to70C) , -30C Storage
- Sealed IP68 silicone keyboard touchpad mouse
- USB 1.1 Keyboard & Mouse
- Solid Bearing Slides
- 100 ~ 240 VAC - EIC 320

Options

- DC power input
- High Brightness – 1000 nits
- MIL Type Connector
- Resistive Touchscreen







HDMI DP VGA

IEC 320

Part No.	RM-F117G	
Direct no. of Computers	1	
KVM Connectors		
Size	17.3"	
Backlight	LED	
Resolution	1920 X 1080	
LCD	Max.color	16.7M
	Luminance	400cd/m2
	View Angel (H/V)	160 / 140
	Contrast Ratio	600 : 1
USB HUB		
Touch Screen	YES - optional touchscreen	
KB/Mouse Emulation	USB 1.1	
Audio	NO Audio	
Rack Mounting Range	17.5" to 30" (front rails to rear rail)	
Power	100-240V AC 50/60Hz via IEC	
Environment (MIL-STD-810G)	Operation temp: -0 to 70°C (MIL-STD-810, Method 501.5 & 502.5)	
	Storage temp: -20 to 70°C(MIL-STD-810, Method 501.5 & 502.5)	
	Humidity: 5% - 95%, non-condensing (MIL-STD-810, Method 507.5)	
	Shock/Vibration: Procedure VI - 50G acceleration (11ms duration) – MIL-STD-810, Method 516.6 Altitude: 10,000 ft Operational, 30,000 Storage (MIL-STD-810, Method 500.5)	
Physical Dimensions / Net Weights	19" x 1.72"x 17.5" (WxHxD) / 26 lbs	
Packing Dimensions / Gross weights	28.3" x 6.3"x 24" (WxHxD) /33.2lbs	
Accessory		
1.8 meter Power Cord with lock connector, 1.8 meter VGA Cable , 1.8 meter HDMI Cable, 1.8 meter DP Cable		

Part# RM-F117G



Proudly crafted
in the USA



SYSTEM SPECIFICATIONS

Display Size	17.3"
Resolution	1920 x 1080
Number of Colors	16.7 Million
Luminance	400 nits
Contrast (maximum)	600
Video Input	VGA, HDMI, DisplayPort
Viewing Angle (Horizontal/Vertical)	±80°/+60°, -80°
Operating Temperature	0° to 70°C
Unit Depth	17.50"
Input Voltage	90–264 Vac
Power Consumption (max.)	30 W
Approvals	RoHS

KEYBOARD SPECIFICATIONS

Keys	104, Black Silicone with White & Blue Legends
Keypad	12, Numeric/Function, Black Silicone with White & Blue Legends
Pointing Device	Touch Pad, 63 x 47 mm
Interface	USB 1.1
Environmental Sealing	IP68
Approvals	CE, FCC, RoHS

