

New



### LCD Display Benefits

- ▶ LED technology
- ▶ 800 cd/m2 for 17", 19" LCD
- ▶ Low power consumption
- ▶ Long lifetime up to 70,000 hours
- ▶ Minimum EMI emissions
- ▶ Operation temperature at -20°C
- ▶ High shock & vibration resistance
- ▶ Mercury free
- ▶ Slim size

### Options



BNC + S-Video



Touch Screen



Quad Display



DC Power



NEMA 4



DVI-D



Audio

### Optical Bonding Option





- 1mm thick optically clear adhesive for touchscreen or 4mm temper glass
- No air gap between the cover glass & LCD panel
- Increased LCD durability under vibration
- Eliminate residual and ghost images

### Anti-Reflective Film Option



- 0.1mm thick optical interference coating film
- Designed to provide visual enhancement
- Cost effective vacuum laminated technology
- Greatly reduced specular & diffuse reflection
- Increased contrast for improved readability
- Easy clean surface

Diagram  
Unit : mm



### Dimensions

Model	Product Dimension (W x D x H)	Packing Dimension (W x D x H)	Net Weight	Gross Weight
H17 Series	480 x 57 x 310.3 mm 18.9 x 2.2 x 12.2 inch	565 x 450 x 156 mm 22.2 x 17.7 x 6.1 inch	7 kg / 15 lbs	8.5 kg / 19 lbs
H19 Series	480 x 57 x 354.8 mm 18.9 x 2.2 x 14 inch	565 x 495 x 156 mm 22.2 x 19.5 x 6.1 inch	8 kg / 18 lbs	10 kg / 22 lbs

